

H/006/60/000/010/001/002  
D234/D305


Experiments for the production ...

while the layer on aluminum and zinc cathodes was of a considerably better quality. The current density increase was proportional to the increase in cell voltage as shown in Figs. 1 and 2.

Fig. 1

Legend: (1) Current density,  
amp/sq.cm; (2) tension, volt.

Card 5/10




Experiments for the production ...

Fig. 2

Legend: (1) Current density,  
amp/sq.cm; (2) tension, volt.

20401  
H/006/60/000/010/001/002  
D234/D305



Since the KHSO<sub>4</sub> solution had a better conductivity than the NH<sub>4</sub>HSO<sub>4</sub> solution, its current density was somewhat higher, although the voltage used was the same in both cases. Graph 1 in Fig. 2

Card 6/10

20401  
H/006/60/000/010/001/002  
D234/D305

Experiments for the production ...


shows that the steep rise in voltage, determined at the start of the electrolysis, became moderate due to the slow polarization of the platinum anode. After 30 minutes of electrolysis, the balance in the anode field was established, as shown by graph 2 in Fig. 2. The gray titanium layer obtained from KHSO<sub>4</sub> was somewhat uneven and its examination under the microscope revealed dark brown inclusions, presumably from titanium oxide, as shown in Fig. 3. In some places even cracks were observed, the adhesion of the layer was insufficient and, upon rubbing, it peeled in the form of brittle scales. The titanium layer obtained from NH<sub>4</sub>HSO<sub>4</sub> had a light gray color, good adhesive properties and a definitely metallic appearance. Fig. 4 shows the fine structure of titanium produced with 20 amp/sq.dm. No impurities could be detected with a microscope. In comparison the titanium structure obtained with 40 amp/sq.dm was rather rough and uneven, as shown in Fig. 5.

Card 7/10

Experiments for the production ...

20401  
H/006/60/000/010/001/002  
D234/D305


Fig. 3.



3. ábra

Card 8/10

Fig. 4.



4. ábra

20401  
H/006/60/000/010/001/002·  
D234/D305

Experiments for the production ...

The layer obtained by 120-180 minutes of electroplating was  $1-2\mu$  thick which indicates a rather unfavorable power consumption efficiency. The layer proved to be resistant to dilute and concentrated acids, but treatment with hydrochloric acid for a longer period of time resulted in corrosion, which indicated that the layer was porous. These experiments revealed that titanium plating from salt bath with a low melting point is possible. The problem of producing a thick non-porous titanium layer with good covering properties, yet without oxide inclusions is, however, not yet solved. There are 5 figures and 21 non-Soviet-bloc references. The re-

Card 9/10




Fig. 5

20401  
H/006/60/000/010/001/002  
D234/D305

Experiments for the production ...

ferences to the English-language publications read as follows:  
Anonym: Light Metals, 21, 243, 1958; J.B. Cotton: Chem. a. Ind.  
(London), 1958, 492; M.E. Sibert and M.A. Steinberg: Mat. in De-  
sign. Eng. 46, 132, 1957; W. Schmidt: US Pat. 2 745 802, 1956.

ASSOCIATION: Fémipari kutató intézet (Metal Industry Research  
Institute).

Card 10/10

35815  
H/011/62/000/004/001/002  
D249/D301

8.1Y10

AUTHORS: Sinay, Gábor, and Csokán, Pál, Doctor

TITLE: Strength properties of aluminum sheets with a cover  
of hard oxide layer

PERIODICAL: Gép, no. 4, 1962, 126 - 130

TEXT: The physical and mechanical properties of extra hard oxide coating were studied which was prepared by a technique developed in the author's laboratory. The effect of the coating on the substrate metal was investigated. 25 mm wide bending and tensile strength test pieces were prepared from sheets of commercial smelted aluminum and AlMgSi. The specimens were anodically oxidized in a bath of diluted  $H_2SO_4$  at 0°C applying a potential of 50 V across the electrolytic cell. The bath was vigorously agitated. Part of the samples was anodized for 30 minutes, another part for 60 minutes. Hardness was determined on the polished cross-section of the samples by Hanemann's method. 100 G load was applied in these tests. Tensile strength and yield point were measured on a hydraulic testing machine.

Card 1/3

H/011/62/000/004/001/002  
D249/D301

Strength properties of aluminum ...

ne. The elongation was determined afterwards. The same hydraulic test machine was used for the bending tests. An Amsler high-frequency pulsator was used to determine the homogeneity of oxide coated AlMgSi specimens. Based on average values the authors' process of anodic oxidation gives an oxide coating of 120 - 220  $\mu$  thickness with a Vickers hardness of 450 - 520 kg/mm<sup>2</sup>, in 60 mins. The influence of the time of anodic treatment is due to the inhomogeneity of the oxide film. Comparing the measured strength properties of the untreated anodically oxidized sheets the following conclusions can be reached: 1) A coat of hard oxide reduces the tensile strength. The thinner and softer the sheets, the larger was the reduction. The largest decrease of tensile strength measured was 25 %. 2) In the case of soft sheets the yield point is not reduced. The decrease in case of hard sheets can reach 15 - 30 %. 3) The elongation of anodized thin and soft sheets can decrease by 15 - 30 %. The reduction will be less in case of hard and thick sheets. It will be nil above a certain thickness. 4) The effect of the hard oxide coat on the strength properties of the substrate metal increases with the thickness of the layer. 5) The load necessary to obtain the bending yield point increases with the thickness of the

Card 2/3

Strength properties of aluminum ...

H/011/62/000/004/001/002  
D249/D301

oxide film in case of thin and soft sheets. According to these experimental findings, in the case of drawing strains the hard oxide coating decreases the strength and deformation characteristics, while in the case of bending strain it has a favorable effect. Finally, considerations are given to the application of anodic treatment in the machine industry. There are 6 figures, 3 tables and 22 references: 11 Soviet-bloc and 11 non-Soviet-bloc. The 4 most recent references to the English-language publications read as follows: R. V. Vanden Berg, Mat. and Meth., 42, 1956, July, 90; J.M. Kape, Metal Ind., 91, 1957, 8, 9, 10 pp.; S. Warwick and R. Pinner, The treatment and finishing of Al and its alloys, Teddington, 1959; Anon. Mechanical World and Engine Record, 1960, no. 6.

ASSOCIATION: Fémipari kutató intézet (Research Institute of the Metal Industry)

Card 3/3

CSOKAN, Pal; SIMON, Ferenc

Experiments for galvanic preparation of corrosion-resisting titanium  
coating. Magy kem lap 15 no.10:442-445 '62.

1. Femipari Kutato Intezet.

SINAY, Gabor.; CSOKAN, Pal, Dr.

Strength properties of aluminum sheets covered by a hard oxyde layer.  
Gep. 14 no.4:126-130 Ap '62.

1. Fempipari Kutato Intezet.

CSOKAN, Pal, dr.; MAGYARY, Ferenc

Classification of lubricants used in aluminum foil  
rolling. Koh lap 96 no. 5:199-205 Ny '63.

1. Femipari Kutato Intezet, Budapest.

CSOKAN, Pal

Selective corrosion of carbon steel. Koh lap 9 no. 5:  
Supplement: Ontode 5 no. 5: 114-116 My '54.

CSOKAN, Pal, dr.; MAGYARY, Ferenc

Classification of lubricants used in aluminum foil rolling.  
Koh lap 96 no. 6:270-276 Je '63.

1. Research Institute of the Metal Industry, Budapest.

Csobas, J. (Dan)

HUN 6

No. 26

56. Method for the examination of radioactive cores

by a Geiger-Müller counter J. Csobas (Bánya-

szem) 1951 N.Y. 1951 N.Y. 1951 N.Y. 1951

1951 N.Y. 1951 N.Y. 1951 N.Y. 1951

The investigations furnish information on the

radioactivity of various geological rocks.

In the case of the investigation of radioactive substances of the oil reservoir field, it is so important that beside  $\beta$ -radiation, the  $\gamma$ -radiation may be distinguished even in case of radioactive elements. This can be done by the following. On samples directly on the mica window of a Geiger-Müller counter, the quantity of radioactive substance has been determined from the number of ions in terms of potassium with the aid of a calibration curve. The sample has been calibrated with a mixture of gypsum and KCl in which the quantity of KCl was first 0.5%, 1%, and then ranged in increments of 1% up to 10%. The radioactivity of Pannonian rocks is as follows: for limestones  $12 \cdot 10^{-7}$   $K^{40}$  g/g; for sandstones  $14 \cdot 10^{-7}$   $K^{40}$ ; for marls  $40 \cdot 10^{-7}$   $K^{40}$ . The radioactivity of various Pannonian rocks from Transdanubia differs considerably, consequently they can be distinguished from one another on this basis.

EM

CSOKAS, Janos, egyetemi tanar

Geophysics at the Technical University of Heavy Industry. Borsod  
szemle 7 no.1:37-40 '63.

1. Tudomanyos Iameratterjeszto Tarsulat Borsod megyei szervezetenek  
elnoke.

CSOKAS, J.

HUNG

59. Prospecting for bauxite by gravimetric measurements - J. Csókás, (*Bányászati Lapok* - Vol. 9 (87), 1951, No. 3, pp. 258-272, 5 figs.)

In Hungary bauxite can often be found in the depressions of underlying rocks. The comparison of isogal curves plotted from measurements with the geological profile obtained from data on borings as well as with the hypsometric curves of the underlying main dolomite shows that the relief of the underlying rocks can be marked out by gravimetric measurements executed with station intervals of

50-100 m. A similar result was obtained by comparing a geological profile with the corresponding gravitational profile. The gravitational profile has been determined by calculation along the examined geological profile by Hubbert's method. The accuracy of the measurements was  $\pm 0.1$  milligal. It could be ascertained that under similar geological conditions the gravimetric method can satisfactorily be employed in prospecting for bauxite. On the basis of the obtained gravitational image the depression of the base rocks and thus the probable bauxite deposits can be designated.

CSOKAS, Janos, dr., okl. geofizikus, a muszaki tudomanyok kandidatusa,  
tanszekvezeto egyetemi tanar

Automatic gas detector. Bany lap 94 no.11:779-784 N '61.

1. Nehezipari Muszaki Egyetem, Geofizikai Tanszek, Miskolc.

CSOKAS, Janos, dr., tanszekvezeto egyetemi tanar

Following the path of the great predecessors. Borsod szemle  
8 no.3:1-2 '64.

1. President, Borsod County organization, Society for Dissemination  
of Scientific Knowledge.

HUNGARY

CSOKAY, Imre

Candidate for Agricultural Sciences

Budapest, Hidrologiai Kozlony, No 5, Oct 62, pp 390-393.

"Simple Irrigation Equipments with Plastic Pipes."

Co-author:

OROSZLANY, Istvan, PhD, Candidate for Agricultural Sciences.

CSOKAY, Imre; OROSLANY, Istvan, dr., a mezogazdasagi tudomanyok  
kandidatusa

Simple irrigation installations with plastic pipes. Hidrologiai  
kozlony 42 no.5:390-393 0 '62.

1. "Hidrologiai Kozlony" szerkeszto bizottsagi tagja (for  
Oroszlany).

Csroke, Antal

Formation of damage statistics of railroad freight trans-  
portation in 1961. Vasut 12 no.5:18-19 31 My '62.

CSOKE, Antal; PETER, Istvan; KERTESZ, Karoly

Pneumatic device for fast irradiation. Koz fiz kozl MTA 12  
no.5:385-393 '64.

1. Central Research Institute of Physics, Hungarian Academy of  
Sciences, Budapest.

BIRO, L.,dr.,; CSOKONAY, L.,dr.,; NEUWIRTH, M.,dr.,; CSONKA, I.,dr.

Experimental and therapeutic results with a *Staphylococcus anatoxin*;  
I. part. Immunization studies. Borgyogy. vener. szemle 10 no.1:  
6-12 Jan 56.

1. A debreceni Orvostudomanyegyetem Borklinikajank (igazgato:  
Szodoray Lajos dr. egyetemi tanar, az orvostudomanyok doktora)  
es Mikrobiologial Intezetenek (igazgato: Gyey Endre dr.  
egyetemi tanar, az orvostudomanyok doktora) kozlemenye.

(MICROCOCCUS PYOGENES

anatoxin vacc., prep. & immun. eff. in man & rabbits  
(Hun))

(VACCINES AND VACCINATION

staph. anatoxin vacc., prep. & immun. eff. in man &  
rabbits (Hun))

(CSOKONAY), LASZLO

A culture medium for the separation of gram-positive and  
gram-negative bacteria. Endre Jeney, Tabor Zsulai, and  
János Csokonay (Univ. Debrecen, Hung.). *Zspt. Dokla-  
ril. Polariszat.*, Abt. J. Oig. 163, 61-8 (1951). — Three iso-  
meric dimethyl(phenyl)anthracenes (cf. *ibid.* 163, 231 (1955))  
were prep'd.; 2,6-dimethyl-1,5-phenanthroline; 2,6-di-  
methyl-1,8-phenanthroline; and 2,9-dimethyl-1,10-phenan-  
throline. A concn. of 0.1% of any of these in culture media  
will inhibit gram-pos. bacteria. John T. Myers.

BAN, Andras, dr.; SIRO, A.Bela, dr.; DEMENY, Peter, dr.; KACSKO, Janos, dr.  
CSOKONAI, Laszlo, dr.

Effect of large doses of pyrexal, a bacterial pyrogen, on the  
leukocytes. Magy.belorv.arch.13 no.5:131-135 O '60.

1. A Debreceni Orvostudomanyi Egyetem I. Belklinikajának (Igazgató:  
Dr.Fornet Bela egy. tanár) közlemenye.  
(PYROGENS pharmacol)  
(LEUKOCITES pharmacol)  
(LIPOPOLYSACCHARIDES pharmacol)

SZONDY, Gyorgy; CSOKONAY, Laszlo, dr.

Antibiogram of pyoderma in metal workers. Borgyogy. vener. szemle 37:  
77-80 '61.

1. Ozdi Bor- es Nemibeteggondozo Intezet (Foorvos: Szondy Gyorgy dr.)  
Ozdi Varosi Korhaz Laboratorium (Foorvos: Csokonay Laszlo dr.) kozlemenye.

(PYODERMA ther) (ANTIBIOTICS ther)

CSOKONAY, Laszlo, dr.; KIRCHKNOPF, Marton, dr.

New trends in the study of urinary infections. Orv. hetil. 102 no.39:  
1838-1839 24 S '61.

1. Ozdi Varosi Tanacs Korhaza, Laboratorium es I sz. Belosztaly.

(URINARY TRACT INFECTIONS diag)

KIRCHKNOPP, Marton, dr.; CSOKONAY, Laszlo, dr.; KONCZ, Gabor, dr.

Practical significance of chronic bacteria. Orv. hetil. 103 no.40:  
1897-1899 7 0 '62.

1. Oszdi Városi Tanacs Kórháza, I. Belosztaly es Laboratorium.  
(URINARY TRACT INFECTIONS) (URINE)

CSKONAY, Laszlo, dr.; KIRCHKNOPF, Marion, dr.

The importance of the Griess-Ilosvay test in the diagnosis  
of urinary tract infections. Orv. hetil. 104 no.41:1943-1945  
13 0 '63.

1. Ozdi Varosi Tanacs Korhaza, Laboratorium es I. Belosztaly.  
(URINARY TRACT INFECTIONS)  
(DIAGNOSIS, LABORATORY)  
(URINE) (NITRITES)

KARDOS, Kalman, dr.; CSOKONAY, Laszlo, dr.

Data on NH metabolism. Tuberkulozis 17 no.8:235-238 Ag '64.

1. A Borsod Abouj Zemplen megye Tbc Gyogyintézete Miskolc "B"  
osztalyainak (igazgato es oszt. vez. foorvcs: Kardos Kalman dr.)  
es laboratoriumanak (oszt. vez. foorvcs: Csokonay Laszlo dr.)  
kozleménye.

CSOKONAY, László, dr.; MARTON, György, dr.

A rapid office cholinesterase test. Orv. hetil. 105 no.43;2043-  
2044 0 25 '64.

I. Miskolci Megyei TBC Gyógyintézet, Laboratorium és Mellkassebeszeti  
Osztály.

CSOKNAY, László, dr.

A new reagent for the detection of albuminuria and bacteriuria.  
Orv. hetil. 106 no. 48167 24 Ja '65

1. Miskolci Megyei Tbc. Gyogyintézet, laboratorium.

KIRCHKNOPF, Marton, dr.; CSOKONAY, Laszlo, dr.

Data on the incidence and course of bacteriuria. Orv. hetil.  
106 no.102448-450 7 Mr '65

1. Ozdi Varosi Tanacs Korhaza, I. Belgyogyaszati Osztaly  
(osztalyvezető Kirchknopf, Marton, dr.) es Laboratorium  
(osztalyvezető Csokonay, Laszlo, dr.).

KRASZKO, Pal. dr.; CSOKONAY, Laszlo, dr.

Effect of thoracic surgery on the acid-base equilibrium.  
Orv. hetil. 106 no.21:979-981 3 My '65.

1. Miskolc Varos Tbc Gyogyintezet, Tudosebeszeti Osztaly es  
Laboratorium.

CSOLNOKY, L., AND OTHERS

Investigation of carotenoid pigments. I. Pigments of the red tomato  
paprika (*Capsicum annuum var. lycopersiciforme rubrum*). p. 419.  
KOZLEMENYEI. Budapest. Vol. 5, no. 4, 1955.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, No. 2, Feb. 1956

CSOLTO, Laszlo

Answering the statements made on transportation organization.  
and coursed in professional training. Kozleked kozl 18 no.12;  
192-193 Mr '62.

1. Kozponti Szallitasi Tanacs titkara.

CSOLTO, Laszlo

Further expansion of centralized carriage. Kozleked koal 18  
no.36:658 9 S '62.

1. KosPonti Szallitasi Tanacs titkara.

CSOLTO, Laszlo

Tasks of forwarding agents in the autumn traffic. Kozleked kozl  
18 no.42:755-756 '62.

1. Kozponti Szallitasi Tanacs titkara.

CSOLTO, Laszlo

On the increase of professional knowledge of transport workers.  
Kozleked kozl 18 no.1:3-4 6 Ja '63.

1. Kozponti Szallitasi Tanacs titkara.

CSOLTO, Laszlo

Railroad freight traffic restrictions due to severe weather conditions. Kozleked kozl 19 no.4:51 27 Ja '63.

1. Kozponti Szallitasi Tanacs titkara, es "Kozlekedesi Kozlony" szerkeszto bizottsagi tagja.

CSOLTO, Laszlo

On the agricultural transport organization; current topics of  
agricultural transportation. Kozleked koal 19 no.4:56-58  
27 Ja '63.

1. Kozponti Szallitasi Tanacs titkara, es "Kozlekedesi  
Kozlony" szerkeszto bizottsagi tagja.

FOLDVARI, Laszlo; CSONTO, Laszlo

Decree no.7/3/1963, issued by the Central Board of Transportation,  
on the organization and implementation of railroad  
transportation lagging behind schedule due to severe weather  
conditions. Kozleked kozl 19 no.22:378 2 Je '63.

1. Kozponti Szallitasi Tanacs elnokhelyettese (for Foldvari).  
2. Kozponti Szallitasi Tanacs titkara (for Csonto).

FOLDVARI, Laszlo; CSOLTO, Laszlo

Order No.19/19/1963 issued by the Central Board of Transportation  
on the use of government-owned trucks. Kozleked kozl 19 no.29:  
490 21 Jl '63.

1. Kozponti Szallitasi Tanacs elnokhelyettese (for Foldvari).  
2. Kozponti Szallitasi Tanacs titkara (for Csolt).

CSOLTO, Laszlo

Centralization of freight transportation in the Kiskunfelegy-haza plant of the Fuel and Building Material Trade Enterprise.  
Kozleked kozl no.28:462 12 Jl '64.

1. Secretary, Central Council of Transportation, Budapest.

CSOLTO, Laszlo

Competition conditions for developing railroad freight transportation by pallets. Kosleked kozl 20 no.30:498 26 Jl '64.

1. Secretary, Central Council of Transportation, Budapest.

CSCOLTO, Laszlo

Rules for the high qualification examination in freight transportation. Kozleked kozl 20 no.31: 518-520 2 Ag '64.

1. Secretary, Central Council of Transportation, Budapest.

CSOLTO, Laszlo (Budapest)

Some current questions of planning freight transportation. Kozleked  
kozl 20 no.33:553-555 16 Ag '64.

CSOLTO, Laszlo

Conference of county transportation committee chairmen.  
Kozleked kozl 20 no.37:612 13 S '64.

1. Secretary, Central Council of Transportation, Budapest.

CSOLTO, Laszlo

Loading contest among sugar factories. Kozleked kozl 20 no.39:634-  
635 27 S '64.

1. Secretary, Central Council of Transportation, Budapest.

L 13408-66

ACC NR: AP6007053

SOURCE CODE: HU/0018/65/017/003/0332/0334

AUTHOR: Kardos, Kalman--Kardosh, K.; Csokonay, Laszlo--Chokonai, L. 20  
B

ORG: Miskolc City Council, Tuberculosis Sanitarium, 'B' Medical Ward and Laboratory (Miskolc Varos Tenacsa, Tbc. Gyogyintézet, 'B' Belosztaly es Laboratorium)

TITLE: Modified method for the determination of INH present in the urine

SOURCE: Kiserletes orvostudomany, v. 17, no. 3, 1965, 332-334

TOPIC TAGS: respiratory drug, animal physiology, quantitative analysis, biochemistry, hydrarine derivative

ABSTRACT:

The Wollenberg method for the determination of INH present in the urine has been modified. The results indicate that by reading the color reaction through two filters the interference by high blanks can be eliminated even in cases of highly concentrated urine samples. Orig. art. has: 1 table. [JPRS]

SUB CODE: 06 / SUBM DATE: 03Jul64 / ORIG REF: 001 / OTH REF: 007

Card 1/1 HU

CSOMA, J.

Water losses with irrigation by sprinkling; a review of an article. p. 372.  
(Vizugyi Kozlemenyek. Hydraulic Engineering. No. 3, 1956)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept 1957, Uncl.

CSOMA, Janos; SZIGYARTO, Zoltan, dr., a műszaki tudományok kandidátusa

Water distribution systems and their efficiency. Hidrologiai kozlony  
43 no.3:229-236 Je '63.

1. Vizgazdalkodasi Tudomanyos Kutato Intezet, Budapest. 2. "Higrolog-  
iai Kozlony" szerkeszto bizottsagi tagja (for Szigyarto).

CSOMA, Janos, mernok, tudomanyos munkatars; STELCZER, Karoly; SZILAGYI, Jozsef; SOMOGYI, Sandor, dr.

New tasks of river control. Vizugyi kozl no.3:444-454 '64.

1. Scientific Research Institute of Water Resources Development, Budapest (for Csoma).

CSOMA, Vilmos

Jean Piaget in Hungary. Magy pszichol szemle 21 no. 1: 113-116  
'64.

1. National Pedagogic Institute, Budapest.

CSOMA, Z.

On the width and intensity distribution of the Compton line. In  
German. Acta phys.Hung. 10 no.4:451-454 '59. (EIAI 9:4)

I. Physikalisches Institut der Universitat fur Technische Wissen-  
schaften, Budapest.  
(Electrons)

CSOMA, Z. (Budapest XI. Budafoki ut 8)

Approximate quadrature in case of unequal intervals. Periodica  
polytechn electr 4 no.1:31-36 '60. (EEAI 10:1)

l. Physikalishes Institut der Technischen Universitat, Budapest.  
(Numerical calculations)

CSOMA, Zs. (Budapest)

Impulse distribution of nucleons in atomic nucleus. Acta phys Hung 13  
no.2:241-243 '61.

1. Physikalisches Institut der Universitat fur Technische Wissenschaften,  
Budapest.

CSOMAY, Erno,; DAVID, Agoston

Variations of amide content in amidazophen. Gyogyszerezek 10 no.3:  
53-54 1 Mar 55.

(AMINOPYRINE,  
amide content)

CSOMOR, D.; KESSY, G.

SCIENCE

Periodicals: STUDIA GEOPHYSICA ET GEODAETICA. Vol. 3, no. 1, 1959

CSOMOR, D.; ~~KESSY~~. Seismicity of Hungary. Tr. from the Hungarian.  
In German. p. 33.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 5,  
May 1959, Unclass.

CSOMOR, D.; GALEI, J.

Structure of the earth's crust in the Hungarian Basin according to the data of the Nograd earthquake on February 20, 1951. Geofiz kozl 12 no.1/2:49-56 '63.

CSOMOR, Dezso; KISS, Zoltan

Seismicity of Hungary. Geofiz kozl 7 no.3/4:169-180 '58.

CSOMOR, Dezsö; KISS, Zoltan

Seismicity of Hungary. Pt. 2. Geofiz kozl 11 1/4:51-75 '62.

CSOMOR, Gabor, dr.

Clinical experience with degranol. Lijecn. vjesn. 83 no.10:1043-1051  
'61.

1. Iz Instituta za zastitu od raka, Poliklinicka ambulanta u Szolnoku,  
Madarska.

(NITROGEN MUSTARDS ther) (MANNITOL rel cpds)

MEZEI, Tibor; GSOMCR, Janos

Three collective labor agreements. Munka 4 no. 8822-24 Ag'54

POKS, Laszlo, dr.; CSOMOR, Laszlo, dr.

Subcostosternal diaphragmatic hernia. Magy. sebeszet 8 no.  
209-272:220-223 Aug 55.

1. Heves megye Tanasa Korhaza II. Sebeszeti Osztalyanak.  
(Foorvos: Poks, Laszlo dr.) es Rontgen Osztalyanak (Foorvos:  
Csomor, Laszlo dr.) kozlemenye.  
(HERNIA, DIAPHRAGMATIC  
subcostosternal, diag. & surg.)

CSOMOR, Mihaly

Analysis of the summer precipitation distribution in Hungary.  
Orsz meteor int besz tud kut 25:373 '61 (publ.'62).

CSOMOR, Mihaly

Probabilities for the occurrence of extraordinary dry and  
extraordinary rainy summers. Orsz meteor int besz tud kut  
25:373 '61 (publ.'62).

MICHELLER, Istvan; CSCMOR, Mihaly

Expedient distribution of precipitation measuring stations.  
Orsz meteor int besz tud kut 26:242-247 '62(publ.'63).

CSONOR, Sandor, dr.; NEURAUER, Gyorgy, dr.

New aspects in tuberculosis of the female urogenital tract and  
the parturition of tuberculous patients. Tuberkulosis 13 no.9:  
285-287 S '60.

1. A Budapesti Orvostudomanyi Egyetem I. sz Noi Klinikajának  
(igazgató: Horn Bela dr.egyet tanár) közleménye  
(TUBERCULOSIS, FEMAL GENITAL in pregn.)  
(LABOR compl.)

CSOMOR, Sandor, dr.; HUNKA, Rezso, dr.; SZINNYAI, Miklos, dr.

Changes of blood coagulation factors during x-ray therapy of carcinoma in women. Magy radiol. 13 no.2:93-100 Mr '61.

1. Budapesti Orvostudomanyi Egyetem 1. sz. Nci Klinikajának kozleménye (Igazgató: Horn, Beila, dr., egyet. tanár).  
(BLOOD COAGULATION radiation eff)  
(GENITALIA FEMALE neopl)

SZINNYAI, M.; CSOMOR, S.; KAPLAR, Z.

Study of blood coagulation factors in pregnancy and in the puerperium.  
Acta chir. acad. sci. hung. 3 no.4:421-428 '62.

1. I Frauenklinik (Direktor: Prof. Dr. B. Horn) der Medizinischen  
Universität, Budapest.

(BLOOD COAGULATION FACTORS) (PREGNANCY) (PUERPERIUM)  
(PREGNANCY TOXEMIAS)

CSOMOR, Sandor, dr.; KONYA, Zoltan, dr.; SZEKER, Janos, dr.

Serum protein fractions in subjects with cervical cancer. Magy.  
onkol. 6 no.2:77-82 My '62.

1. Budapesti Orvostudomanyi Egyetem, I. Noi Klinika.  
(CERVIX NEOPLASMS blood) (BLOOD PROTEINS)

CSOMOR, S.; TREIT, S.; VARJASI, F.; CSEREVNY, A.

On the clinical and pathological significance of the amputation  
stump of the uterus. Acta chir. acad. sci. hung. 4 no.1:51-62  
'63.

I. I. Frauenklinik (Direktor: Prof. Dr. B. Horn) der Medizinischen  
Universität Budapest.  
(HYSTERECTOMY) (CERVIX NEOPLASMS)

HUNGARY

PAAL, Margit, Dr, GSOMOR, Sandor, Dr, DOMOTORI, Jeno, Dr, SZINNYAI, Miklos, Dr; Medical University of Budapest, I. Gynecological Clinic (Budapesti Orvostudomanyi Egyetem, I. sz. Női Klinika) (Director: HORN, Bela, Dr, professor).

"Changes of the Transaminase (SGOT) Activity of Women Suffering from Carcinoma During Radiation Treatment."

Budapest, Magyar Radiologia, Vol XV, No 2, Apr 63, pages 93-98.

Abstract: [Authors' English summary modified] Determinations of SGOT activity have been carried out on women suffering from carcinoma before treatment, after surgery and on cases in an incurable stage, as well as on patients with benign tumors. The majority of untreated cancer cases showed a high SGOT activity. No straight correlation between the extent of the disease and the degree of enzyme activity could be found although the highest values were found among the incurable, extremely progressive cases. No characteristic increase of enzyme activity was observed in the course of radiation treatment.  
9 Western, 2 Eastern European references.

1/1

CSOMOR, Sandor, dr.; HUNKA, Rezso, dr.; NEMETH, Ferenc, dr.;  
SZINNYAI, Miklos, dr.

On the significance of pulmonary tuberculosis in pregnancy.  
Tuberkulozis 16 no.8:246-248 Ag '63.

1. A Budapesti Orvostudomanyi Egyetem I sz. Noi klinikajának  
(igazgató: Horn Bela dr. egyetemi tanár) közelmenye.  
(PREGNANCY COMPL., INFECTIOUS)  
(TUBERCULOSIS, PULMONARY)  
(STATISTICS) (BIRTH CONTROL)  
(COMMUNICABLE DISEASE CONTROL)

HUNGARY

CSONDA, Sandor, Dr., BOMOTORI, Jeno, Dr., TREIT, Sander, Dr.; Medical University of Budapest, I. Women Clinic (Budapesti Orvostudomanyi Egyetem, I. Női Klinika).

"Experiences with the Vacuum Extractor."

Budapest, Orvosi Hetilap, Vol 104, No 6, 10 Feb 1963, pages 259-262.

Abstract: [Authors' Hungarian summary modified] The authors compare the obstetrical cases of two 13 months periods before and after the introduction of the vacuum extractor. The number of instrument deliveries increased, forceps deliveries decreased and the extractor was used in 4.5 per cent of the cases. Maternal injuries and post partum complications as well as perinatal mortality and injury to the child decreased. The indications and contraindications for the use of the extractor are discussed. Some technical problems are mentioned. The need for a careful observance of the birth process and for the objective evaluation of the complications is stressed along with a strong recommendation of the new process. 18 Western, 10 Eastern European references.

1/1

L 45057-65

www.lib.cam.ac.uk/1541000/1006/0351/0354

unchanged that of thrombocytes, however, decreased. The blood coagulation factors during thrombocytopenia were measured by the method of Hirsh et al. and the results are shown in the following table.

Card 2

APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00050942C

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00050942

VOLUME 227

JPRS

NO REF SOV: 000

### **Card**

APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00050942C

TOTH, F.; CSOMOR, S.; MESZAROS, J.

Mesonephrogenic adenocarcinoma and adenoma of the uterine cervix.  
Acta morph. Acad. sci. Hung. 13 no.1:83-90 '64

I. I. Gynaekologische Klinikik (Direktor: Prof. Dr. B. Horn)  
der Medizinischen Universitat, Budapest.

L 13417-66

ACC NR: AP6006637

SOURCE CODE: HU/0021/65/000/002/0103/0106

AUTHOR: Konya, Zoltan--Kon'ya, Z. (Doctor); Csomor, Sandor--Chomer, Sh. (Doctor)  
Szeker, Janos--Seker, Ya. (Doctor)

ORG: I. Gynecological Clinic, Medical University of Budapest (Budapesti  
Orvostudomanyi Egyetem, I. sz. Női Klinika) 33  
B

TITLE: Changes in the serum protein fraction of women with carcinoma of the  
reproductive organs during radiation treatment

SOURCE: Magyar radiologia, no. 2, 1965, 103-106

TOPIC TAGS: carcinoma, biochemistry, protein, radiology, radiotherapy, blood,  
radiation biologic effect, pathology

ABSTRACT: The serum protein fractions were determined during the irradiation treatment of 33 women with cancer. The paper electrophoretic method revealed a decrease in the albumin value and in the A/G ratio, and an increase in the globulin value, especially that of the  $\alpha_1$ ,  $\alpha_2$  and gamma fractions. These changes were proportional to the radiation dose administered. Orig. art. has: 1 figure and 1 table. [JPRS]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 002 / OTH REF: 012

Cord 1/1 HW

DOMOTORI, Jeno, dr.; CSONOR, Sandor, dr.

Hymenal atresia. Orv. hetil. 106 no. 24: 1130-1131 13 Je'65.

1. Budapesti Orvostudomanyi Egyetem, I. Női Klinika (igazgató:  
Horn, Bela, dr.).

TOTH,F.; CSONOR, S.; SZLEPKA, G.

Histochemical examination of cervical carcinoma during radiotherapy. Acta morph. acad. sci. Hung. 12 no. 4:453-459 '64

1. First Department of Gynaecology (Director: B. Horn), University Medical School, Budapest.

CSOMOR, Sandor, dr.

Contribution to the problem of cancer and sarcoma of the uterine.  
Magy.noorv.lap. 26 no.4:203-209 Jl '63.

1. Budapesti Orvostudomanyi Egyetem I. sz. Női Klinikajának közle-  
menye (igazgató: Horn Bela dr. egyet. tanar).

\*

PAAL, Margit, dr.; KOVER, Jozsef, dr.; CSOMOR, Sandor, dr.; HUNKA, Rezso, dr.

Histochemical examination of the effect of ultrasound and  
X-ray irradiation in Ehrlich-ascites tumor. Magy. radiol.  
16 no.1:52-55 F'64.

1. Budapesti Orvostudomanyi Egyetem I.sz. Noi Klinikajának koz-  
lemeju. (Igazgató: Horn Nela dr., egyet. tanár).

\*

TOTH, Ferenc, dr.; CSOMOR, Sandor, dr.; SZLEPKA, Geza, dr.

Histological examination of cervical cancer during radiotherapy.  
Magy. mprv. lap. 26 no.3:156-161 My '63.

1. I. sz. Női klinika. Budapesti Orvostudományi Egyetem. (Igazgató  
Horn Bela dr. egyetemi tanár).

(CERVIX NEOPLASMS) (RADIOTHERAPY) (STAINS AND STAINING)  
(BIOPSY) (ALKALINE PHOSPHATASE) (GLYCOGEN)  
(MUCOPOLYSACCHARIDES) (RNA) (DNA) (ADENOCARCINOMA)

DOMOTORI, Jeno, dr.; CSOMOR, Sandor, dr.; PAAL Margit, dr.; SZINYAI,  
Miklos, dr.

Some relations of serum glutamic-oxaloacetic transaminase to  
the pathology of pregnancy. Orv. hetil. 105 no.19:828-830  
3 My'64

1. Budapesti Orvostudomanyi Egyetem, I. Női Klinika.

\*

TOTH, Ferenc, dr.; GSOMOR, Sandor, dr.; MESZAROS, Janos, dr.

Mesonaphrogenic adenocarcinoma and adenoma of the cervix. Orv.  
hetil. 105 no.1:31-33 5 J '64.

1. Budapesti Orvostudomanyi Egyetem, I. Női Klinika.

CSOMOS, Karoly

Calculations for export economy in the service of developing  
the food industry. Elelm ipar 16 no.6:178-182 Je '62.

1. Elelmezesugyi Miniszterium.

CSOMOS, Z.

The state of the innovator's movement in iron metallurgy.

p. 3 (Ujítok Lapja) Vol. 9, No. 18, Oct. 1957, Budapest, Hungary

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC. - VOL. 7, NO. 1, JAN. 1958

JACUNSKAJA, O. I. [Yatsunskaya, O. I.]; SZTAROVICS, M. N. [Starovich, M. N.]; VAJK, Arpad [translator]; CSOMOS, Zoltan [translator]

Economy in oxygen utilization in the open-hearth process.  
Koh lap 9 no. 4: 151-154 Ap '54.

CSORNAI, Laszlo

Cold cathode electron tubes. Radiotekhnika 15 no.6;202-203 Je  
'65.

CSONGEI, Istvan, dr.

Let us learn from the serious accidents of 1962. Konzerv  
paprika no.2:66-67 Mr-Ap '63.

1. Konzervipari Igazgatosag.

CSONGOR, Barnabas

What is the "ancient" Chinese culture? Elet tud 17 no.3:67-70.  
Ja '62.

CSONGOR, E.; NAGY, J.

CSONGOR, E.; Nagy, J. A stabilized network source of tension for feeding the tubes of Geiger-muller counters. p.375

Vol. 4, no. 4, 1956  
Magyar Fizikai Folyoirat  
SCIENCE  
Budapest, Hungary

So: East European Accession, Vol. 6, No. 3, March 1957

CSONGOR, E.

Distr: 4B3d 27

Purification of hydrogen by diffusion through palladium.  
Eva Csongor. Magyar Tudományos Akad. Mat. et Fiz.  
Tudományos Osztályának, Közleményei 6, 153-7(1959) (in  
Hungarian).—Purification was carried out in a Pd capillary,  
closed at one end, and enclosed in a glass tube. This thin-  
walled tube was heated by a wire spiral, with a current of 1-4  
amp. The speed of diffusion of the purified H is a function  
of temp. E. Rona

4  
1

HUNGARY/Electronics - Electrical Discharges in Gases and  
Gas Discharge Apparatus.

H

Abs Jour : Ref Zhur Fizka, No 11, 1959, 25560

Author : Csongor, Eva

Inst : Kiserleti Fiz. Intezet, Debressen, Hungary

Title : Study of Corona Discharge and Stabilization of Voltage  
by Means of a Stabilizing Tube with Corona Discharge.

Orig Pub : Magyar fiz. folyoirat., 1958, 6, No 4, 333-338

Abstract : Description of the operating principle, construction,  
and properties of tubes with corona discharge, used to  
stabilize voltage from 350 to 2,000 volts at current of  
1 -- 4 and 100 -- 300 microamperes. Graphs are given  
for the dependence of the current and stabilization vol-  
tage on the pressure, type of gas (Kr, Xe, H<sub>2</sub>, 60% Xe  
and 40% Kr, etc.) and the geometric dimensions of the

Card 1/2

HUNGARY/Electronics - Electrical Discharges in Gases and  
Gas Discharge Apparatus.

H

Abs Jour : Ref Zhur Fizika, No 11, 1959, 25560

electrodes. The tubes retain their stabilizing action  
for several thousand hours. The procedure for producing  
vacuum in tube and for filling them with gas is descri-  
bed.

Bibliography, 10 titles. -- S.S. Chik

Card 2/2

- 87 -

CSONGOR, Eva

Microelectrochemical separation of Mg. Magy fiz folyir 7 no.6:517-  
520 '59. (MEAI 9:4)

1. Kossuth Lejas Tudomanyegyetem Kiserleti Fizikai Intezete.  
(Magnesium)

ANGELI, Istvan; SZALAY, Sandor, egyetemi tanar; CSONGOR, Eva, docens;  
MATHE, Gyorgy, tudomanyos munkatars

Investigations on the function of excitation concerning  $\text{Na}^{23}$ ,  
 $\text{p/Mg}^{26}$  nuclear reaction. ATOMKI kozl 2 ne. 3:199-204 '60.

1. Magyar Tudomanyos Akademia levelezo tagja; Magyar Tudomanyos Akademia Atommag Kutato Intezete igazgatoja, Debrecen; "ATOMKI Kozlemenek" felelos szerkesztoje es felelos kiadoja (for Szalay).
2. Kiserleti Fizikai Intezet, Debrecen (for Csongor).